

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	2	4
		% within Sex	.5%	2.5%	.9%
	13-19	Count	9	7	16
		% within Sex	2.4%	8.9%	3.5%
	20-24	Count	32	8	40
		% within Sex	8.5%	10.1%	8.8%
	25-29	Count	55	10	65
		% within Sex	14.6%	12.7%	14.2%
	30-39	Count	161	30	191
		% within Sex	42.6%	38.0%	41.8%
	40-49	Count	97	14	111
		% within Sex	25.7%	17.7%	24.3%
	50-59	Count	18	5	23
		% within Sex	4.8%	6.3%	5.0%
	60-69	Count	4	3	7
		% within Sex	1.1%	3.8%	1.5%
	Total		378	79	457
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	211	17	228
		% within Sex	55.8%	21.5%	49.9%
	African American	Count	88	48	136
		% within Sex	23.3%	60.8%	29.8%
	Hispanic	Count	78	14	92
		% within Sex	20.6%	17.7%	20.1%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.3%		.2%
	Total		378	79	457
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	234		234
		% within Sex	61.9%		51.2%
	IDU	Count	23	14	37
		% within Sex	6.1%	17.7%	8.1%
	M-M & IDU	Count	35		35
		% within Sex	9.3%		7.7%
	Heterosexual Contact	Count	15	34	49
		% within Sex	4.0%	43.0%	10.7%
	Transfusion	Count	3	1	4
		% within Sex	.8%	1.3%	.9%
	Not Classified	Count	66	28	94
		% within Sex	17.5%	35.4%	20.6%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.3%	1.3%	.4%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.3%	1.3%	.4%
Total		Count	378	79	457
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	227	228
		% within Adult-Ped	25.0%	50.1%	49.9%
	African American	Count	2	134	136
		% within Adult-Ped	50.0%	29.6%	29.8%
	Hispanic	Count	1	91	92
		% within Adult-Ped	25.0%	20.1%	20.1%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.2%	.2%
Total	Count	4	453	457	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	376	378
		% within Adult-Ped	50.0%	83.0%	82.7%
	Female	Count	2	77	79
		% within Adult-Ped	50.0%	17.0%	17.3%
Total		Count	4	453	457
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		1.4%	.3%
	2-4	Count	1		1
		% within Sex	.3%		.3%
	5-12	Count		1	1
		% within Sex		1.4%	.3%
	13-19	Count	5	8	13
		% within Sex	1.7%	11.0%	3.6%
	20-24	Count	43	17	60
		% within Sex	14.8%	23.3%	16.5%
	25-29	Count	44	13	57
		% within Sex	15.1%	17.8%	15.7%
	30-39	Count	132	18	150
		% within Sex	45.4%	24.7%	41.2%
	40-49	Count	47	7	54
		% within Sex	16.2%	9.6%	14.8%
	50-59	Count	15	5	20
		% within Sex	5.2%	6.8%	5.5%
	60-69	Count	3	3	6
		% within Sex	1.0%	4.1%	1.6%
	70+	Count	1		1
		% within Sex	.3%		.3%
Total		Count	291	73	364
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	161	22	183
		% within Sex	55.3%	30.1%	50.3%
	African American	Count	64	31	95
		% within Sex	22.0%	42.5%	26.1%
	Hispanic	Count	55	20	75
		% within Sex	18.9%	27.4%	20.6%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.3%		.3%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.7%		.5%
	Not Specified	Count	8		8
		% within Sex	2.7%		2.2%
	Total		291	73	364
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	172		172
		% within Sex	59.1%		47.3%
	IDU	Count	24	9	33
		% within Sex	8.2%	12.3%	9.1%
	M-M & IDU	Count	20		20
		% within Sex	6.9%		5.5%
	Heterosexual Contact	Count	9	34	43
		% within Sex	3.1%	46.6%	11.8%
	Transfusion	Count	1	2	3
		% within Sex	.3%	2.7%	.8%
	Not Classified	Count	64	26	90
		% within Sex	22.0%	35.6%	24.7%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.3%	1.4%	.5%
	Ped Other-Undet	Count		1	1
		% within Sex		1.4%	.3%
	Total		291	73	364
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	181	183
		% within Adult-Ped	66.7%	50.1%	50.3%
	African American	Count	1	94	95
		% within Adult-Ped	33.3%	26.0%	26.1%
	Hispanic	Count		75	75
		% within Adult-Ped		20.8%	20.6%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.6%	.5%
	Not Specified	Count		8	8
		% within Adult-Ped		2.2%	2.2%
Total		Count	3	361	364
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	290	291
		% within Adult-Ped	33.3%	80.3%	79.9%
	Female	Count	2	71	73
		% within Adult-Ped	66.7%	19.7%	20.1%
Total		Count	3	361	364
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	6	14
		% within Sex	.8%	1.9%	1.0%
	1 (12-23 mo)	Count		4	4
		% within Sex		1.3%	.3%
	2-4	Count	4		4
		% within Sex	.4%		.3%
	5-12	Count	3	1	4
		% within Sex	.3%	.3%	.3%
	13-19	Count	19	33	52
		% within Sex	1.9%	10.5%	3.9%
	20-24	Count	101	50	151
		% within Sex	9.8%	16.0%	11.3%
	25-29	Count	164	54	218
		% within Sex	16.0%	17.3%	16.3%
	30-39	Count	442	98	540
		% within Sex	43.0%	31.3%	40.3%
	40-49	Count	221	44	265
		% within Sex	21.5%	14.1%	19.8%
	50-59	Count	54	15	69
		% within Sex	5.3%	4.8%	5.1%
	60-69	Count	10	8	18
		% within Sex	1.0%	2.6%	1.3%
	70+	Count	1		1
		% within Sex	.1%		.1%
Total		Count	1027	313	1340
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	539	81	620
		% within Sex	52.5%	25.9%	46.3%
	African American	Count	270	177	447
		% within Sex	26.3%	56.5%	33.4%
	Hispanic	Count	199	54	253
		% within Sex	19.4%	17.3%	18.9%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	.4%	.3%	.4%
	Am Indian-Alaskan	Count	5		5
		% within Sex	.5%		.4%
	Not Specified	Count	10		10
		% within Sex	1.0%		.7%
	Total		1027	313	1340
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	581		581
		% within Sex	56.6%		43.4%
	IDU	Count	75	56	131
		% within Sex	7.3%	17.9%	9.8%
	M-M & IDU	Count	90		90
		% within Sex	8.8%		6.7%
	Hemophiliac	Count	1	1	2
		% within Sex	.1%	.3%	.1%
	Heterosexual Contact	Count	44	130	174
		% within Sex	4.3%	41.5%	13.0%
	Transfusion	Count	4	6	10
		% within Sex	.4%	1.9%	.7%
	Not Classified	Count	217	109	326
		% within Sex	21.1%	34.8%	24.3%
	Ped Parent at Risk	Count	12	9	21
		% within Sex	1.2%	2.9%	1.6%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.3%	.6%	.4%
	Total		1027	313	1340
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	10	610	620
		% within Adult-Ped	38.5%	46.4%	46.3%
	African American	Count	12	435	447
		% within Adult-Ped	46.2%	33.1%	33.4%
	Hispanic	Count	4	249	253
		% within Adult-Ped	15.4%	18.9%	18.9%
	Asian-Pacific Islander	Count		5	5
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		5	5
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		10	10
		% within Adult-Ped		.8%	.7%
Total		Count	26	1314	1340
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	15	1012	1027
		% within Adult-Ped	57.7%	77.0%	76.6%
	Female	Count	11	302	313
		% within Adult-Ped	42.3%	23.0%	23.4%
Total		Count	26	1314	1340
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	6	14
		% within Sex	.8%	1.9%	1.1%
	1 (12-23 mo)	Count		4	4
		% within Sex		1.3%	.3%
	2-4	Count	4		4
		% within Sex	.4%		.3%
	5-12	Count	3	1	4
		% within Sex	.3%	.3%	.3%
	13-19	Count	19	33	52
		% within Sex	1.9%	10.6%	3.9%
	20-24	Count	101	50	151
		% within Sex	10.0%	16.1%	11.4%
	25-29	Count	164	54	218
		% within Sex	16.2%	17.4%	16.5%
	30-39	Count	440	96	536
		% within Sex	43.6%	31.0%	40.6%
	40-49	Count	210	43	253
		% within Sex	20.8%	13.9%	19.2%
	50-59	Count	51	15	66
		% within Sex	5.0%	4.8%	5.0%
	60-69	Count	9	8	17
		% within Sex	.9%	2.6%	1.3%
	70+	Count	1		1
		% within Sex	.1%		.1%
Total		Count	1010	310	1320
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	2	3
		% within Sex	.1%	.6%	.2%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	1	2	3
		% within Sex	.1%	.6%	.2%
	5-12	Count	7	7	14
		% within Sex	.7%	2.3%	1.1%
	13-19	Count	9	10	19
		% within Sex	.9%	3.2%	1.4%
	20-24	Count	62	38	100
		% within Sex	6.1%	12.3%	7.6%
	25-29	Count	101	52	153
		% within Sex	10.0%	16.8%	11.6%
	30-39	Count	429	101	530
		% within Sex	42.5%	32.6%	40.2%
	40-49	Count	302	69	371
		% within Sex	29.9%	22.3%	28.1%
	50-59	Count	83	20	103
		% within Sex	8.2%	6.5%	7.8%
	60-69	Count	12	9	21
		% within Sex	1.2%	2.9%	1.6%
	70+	Count	2		2
		% within Sex	.2%		.2%
Total		Count	1010	310	1320
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	535	80	615
		% within Sex	53.0%	25.8%	46.6%
	African American	Count	261	175	436
		% within Sex	25.8%	56.5%	33.0%
	Hispanic	Count	195	54	249
		% within Sex	19.3%	17.4%	18.9%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	.4%	.3%	.4%
	Am Indian-Alaskan	Count	5		5
		% within Sex	.5%		.4%
	Not Specified	Count	10		10
		% within Sex	1.0%		.8%
	Total		1010	310	1320
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	574		574
		% within Sex	56.8%		43.5%
	IDU	Count	72	55	127
		% within Sex	7.1%	17.7%	9.6%
	M-M & IDU	Count	90		90
		% within Sex	8.9%		6.8%
	Hemophiliac	Count	1	1	2
		% within Sex	.1%	.3%	.2%
	Heterosexual Contact	Count	44	129	173
		% within Sex	4.4%	41.6%	13.1%
	Transfusion	Count	4	6	10
		% within Sex	.4%	1.9%	.8%
	Not Classified	Count	210	108	318
		% within Sex	20.8%	34.8%	24.1%
	Ped Parent at Risk	Count	12	9	21
		% within Sex	1.2%	2.9%	1.6%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.3%	.6%	.4%
	Total		1010	310	1320
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	10	605	615
		% within Adult-Ped	38.5%	46.8%	46.6%
	African American	Count	12	424	436
		% within Adult-Ped	46.2%	32.8%	33.0%
	Hispanic	Count	4	245	249
		% within Adult-Ped	15.4%	18.9%	18.9%
	Asian-Pacific Islander	Count		5	5
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		5	5
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		10	10
		% within Adult-Ped		.8%	.8%
	Total	Count	26	1294	1320
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	15	995	1010
		% within Adult-Ped	57.7%	76.9%	76.5%
	Female	Count	11	299	310
		% within Adult-Ped	42.3%	23.1%	23.5%
Total		Count	26	1294	1320
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		1.6%	.4%
	2-4	Count	1		1
		% within Sex	.5%		.4%
	13-19	Count	2	1	3
		% within Sex	.9%	1.6%	1.1%
	20-24	Count	5	3	8
		% within Sex	2.4%	4.9%	2.9%
	25-29	Count	31	8	39
		% within Sex	14.6%	13.1%	14.3%
	30-39	Count	86	28	114
		% within Sex	40.6%	45.9%	41.8%
	40-49	Count	61	14	75
		% within Sex	28.8%	23.0%	27.5%
	50-59	Count	21	5	26
		% within Sex	9.9%	8.2%	9.5%
	60-69	Count	4	1	5
		% within Sex	1.9%	1.6%	1.8%
	70+	Count	1		1
		% within Sex	.5%		.4%
Total		Count	212	61	273
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	101	14	115
		% within Sex	47.6%	23.0%	42.1%
	African American	Count	61	34	95
		% within Sex	28.8%	55.7%	34.8%
	Hispanic	Count	49	13	62
		% within Sex	23.1%	21.3%	22.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.5%		.4%
Total	Count	212	61	273	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	114		114
		% within Sex	53.8%		41.8%
	IDU	Count	25	14	39
		% within Sex	11.8%	23.0%	14.3%
	M-M & IDU	Count	15		15
		% within Sex	7.1%		5.5%
	Heterosexual Contact	Count	13	25	38
		% within Sex	6.1%	41.0%	13.9%
	Transfusion	Count	1	5	6
		% within Sex	.5%	8.2%	2.2%
	Not Classified	Count	43	16	59
		% within Sex	20.3%	26.2%	21.6%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.5%	1.6%	.7%
Total	Count	212	61	273	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		115	115
		% within Adult-Ped		42.4%	42.1%
	African American	Count	1	94	95
		% within Adult-Ped	50.0%	34.7%	34.8%
	Hispanic	Count	1	61	62
		% within Adult-Ped	50.0%	22.5%	22.7%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.4%	.4%
	Total		2	271	273
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	211	212
		% within Adult-Ped	50.0%	77.9%	77.7%
	Female	Count	1	60	61
		% within Adult-Ped	50.0%	22.1%	22.3%
Total		Count	2	271	273
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.4%		.3%
	13-19	Count	1	1	2
		% within Sex	.4%	1.7%	.6%
	20-24	Count	7	5	12
		% within Sex	2.8%	8.3%	3.9%
	25-29	Count	19	3	22
		% within Sex	7.7%	5.0%	7.1%
	30-39	Count	106	28	134
		% within Sex	42.7%	46.7%	43.5%
	40-49	Count	82	16	98
		% within Sex	33.1%	26.7%	31.8%
	50-59	Count	22	5	27
		% within Sex	8.9%	8.3%	8.8%
	60-69	Count	9	1	10
		% within Sex	3.6%	1.7%	3.2%
	70+	Count	1	1	2
		% within Sex	.4%	1.7%	.6%
Total		Count	248	60	308
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	117	19	136
		% within Sex	47.2%	31.7%	44.2%
	African American	Count	62	31	93
		% within Sex	25.0%	51.7%	30.2%
	Hispanic	Count	65	9	74
		% within Sex	26.2%	15.0%	24.0%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	.8%	1.7%	1.0%
	Not Specified	Count	2		2
		% within Sex	.8%		.6%
Total		Count	248	60	308
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	125		125
		% within Sex	50.4%		40.6%
	IDU	Count	28	16	44
		% within Sex	11.3%	26.7%	14.3%
	M-M & IDU	Count	19		19
		% within Sex	7.7%		6.2%
	Hemophiliac	Count	1		1
		% within Sex	.4%		.3%
	Heterosexual Contact	Count	8	22	30
		% within Sex	3.2%	36.7%	9.7%
	Transfusion	Count	1	1	2
		% within Sex	.4%	1.7%	.6%
	Not Classified	Count	65	21	86
		% within Sex	26.2%	35.0%	27.9%
	Ped Parent at Risk	Count	1		1
		% within Sex	.4%		.3%
Total		Count	248	60	308
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		136	136
		% within Adult-Ped		44.3%	44.2%
	African American	Count	1	92	93
		% within Adult-Ped	100.0%	30.0%	30.2%
	Hispanic	Count		74	74
		% within Adult-Ped		24.1%	24.0%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		1.0%	1.0%
	Not Specified	Count		2	2
		% within Adult-Ped		.7%	.6%
Total		Count	1	307	308
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	247	248
		% within Adult-Ped	100.0%	80.5%	80.5%
	Female	Count		60	60
		% within Adult-Ped		19.5%	19.5%
Total		Count	1	307	308
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	10	13	23
		% within Sex	.2%	1.6%	.4%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.5%	.1%
	2-4	Count	4	4	8
		% within Sex	.1%	.5%	.1%
	5-12	Count	1	4	5
		% within Sex	.0%	.5%	.1%
	13-19	Count	17	22	39
		% within Sex	.4%	2.7%	.7%
	20-24	Count	205	66	271
		% within Sex	4.3%	8.1%	4.9%
	25-29	Count	756	138	894
		% within Sex	16.0%	17.0%	16.1%
	30-39	Count	2282	335	2617
		% within Sex	48.2%	41.3%	47.2%
	40-49	Count	1106	152	1258
		% within Sex	23.3%	18.7%	22.7%
	50-59	Count	261	55	316
		% within Sex	5.5%	6.8%	5.7%
	60-69	Count	80	12	92
		% within Sex	1.7%	1.5%	1.7%
	70+	Count	16	6	22
		% within Sex	.3%	.7%	.4%
Total		Count	4739	811	5550
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2719	254	2973
		% within Sex	57.4%	31.3%	53.6%
	African American	Count	1143	437	1580
		% within Sex	24.1%	53.9%	28.5%
	Hispanic	Count	854	116	970
		% within Sex	18.0%	14.3%	17.5%
	Asian-Pacific Islander	Count	11	4	15
		% within Sex	.2%	.5%	.3%
	Am Indian-Alaskan	Count	9		9
		% within Sex	.2%		.2%
	Not Specified	Count	3		3
		% within Sex	.1%		.1%
	Total		4739	811	5550
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2860		2860
		% within Sex	60.4%		51.5%
	IDU	Count	683	291	974
		% within Sex	14.4%	35.9%	17.5%
	M-M & IDU	Count	484		484
		% within Sex	10.2%		8.7%
	Hemophiliac	Count	17		17
		% within Sex	.4%		.3%
	Heterosexual Contact	Count	152	295	447
		% within Sex	3.2%	36.4%	8.1%
	Transfusion	Count	45	34	79
		% within Sex	.9%	4.2%	1.4%
	Not Classified	Count	480	164	644
		% within Sex	10.1%	20.2%	11.6%
	Ped Hemophiliac	Count	2		2
		% within Sex	.0%		.0%
	Ped Parent at Risk	Count	15	25	40
		% within Sex	.3%	3.1%	.7%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.2%	.1%
Total	Count	4739	811	5550	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	2964	2973
		% within Adult-Ped	22.0%	53.8%	53.6%
	African American	Count	23	1557	1580
		% within Adult-Ped	56.1%	28.3%	28.5%
	Hispanic	Count	9	961	970
		% within Adult-Ped	22.0%	17.4%	17.5%
	Asian-Pacific Islander	Count		15	15
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		9	9
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total	Count	41	5509	5550	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	16	4723	4739
		% within Adult-Ped	39.0%	85.7%	85.4%
	Female	Count	25	786	811
		% within Adult-Ped	61.0%	14.3%	14.6%
Total		Count	41	5509	5550
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	5	8
		% within Sex	.1%	1.1%	.3%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.0%
	2-4	Count	3	2	5
		% within Sex	.1%	.4%	.2%
	5-12	Count		3	3
		% within Sex		.6%	.1%
	13-19	Count	12	12	24
		% within Sex	.6%	2.6%	1.0%
	20-24	Count	94	46	140
		% within Sex	4.6%	9.8%	5.6%
	25-29	Count	309	78	387
		% within Sex	15.2%	16.7%	15.5%
	30-39	Count	993	202	1195
		% within Sex	48.8%	43.2%	47.8%
	40-49	Count	497	86	583
		% within Sex	24.4%	18.4%	23.3%
	50-59	Count	99	29	128
		% within Sex	4.9%	6.2%	5.1%
	60-69	Count	21	3	24
		% within Sex	1.0%	.6%	1.0%
	70+	Count	3	1	4
		% within Sex	.1%	.2%	.2%
Total		Count	2034	468	2502
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.0%
	5-12	Count	6	6	12
		% within Sex	.3%	1.3%	.5%
	13-19	Count	2	5	7
		% within Sex	.1%	1.1%	.3%
	20-24	Count	13	14	27
		% within Sex	.6%	3.0%	1.1%
	25-29	Count	84	36	120
		% within Sex	4.1%	7.7%	4.8%
	30-39	Count	700	177	877
		% within Sex	34.4%	37.8%	35.1%
	40-49	Count	891	160	1051
		% within Sex	43.8%	34.2%	42.0%
	50-59	Count	265	57	322
		% within Sex	13.0%	12.2%	12.9%
	60-69	Count	63	9	72
		% within Sex	3.1%	1.9%	2.9%
	70+	Count	10	3	13
		% within Sex	.5%	.6%	.5%
Total		Count	2034	468	2502
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1090	146	1236
		% within Sex	53.6%	31.2%	49.4%
	African American	Count	496	248	744
		% within Sex	24.4%	53.0%	29.7%
	Hispanic	Count	432	71	503
		% within Sex	21.2%	15.2%	20.1%
	Asian-Pacific Islander	Count	6	3	9
		% within Sex	.3%	.6%	.4%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.3%		.3%
	Not Specified	Count	3		3
		% within Sex	.1%		.1%
	Total		Count	2034	468
			% within Sex	100.0%	100.0%

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1145		1145
		% within Sex	56.3%		45.8%
	IDU	Count	277	149	426
		% within Sex	13.6%	31.8%	17.0%
	M-M & IDU	Count	226		226
		% within Sex	11.1%		9.0%
	Hemophiliac	Count	5		5
		% within Sex	.2%		.2%
	Heterosexual Contact	Count	93	177	270
		% within Sex	4.6%	37.8%	10.8%
	Transfusion	Count	10	13	23
		% within Sex	.5%	2.8%	.9%
Total	Not Classified	Count	271	117	388
		% within Sex	13.3%	25.0%	15.5%
	Ped Parent at Risk	Count	6	10	16
		% within Sex	.3%	2.1%	.6%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.4%	.1%
	Count		2034	468	2502
	% within Sex		100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	1234	1236
		% within Adult-Ped	11.8%	49.7%	49.4%
	African American	Count	11	733	744
		% within Adult-Ped	64.7%	29.5%	29.7%
	Hispanic	Count	4	499	503
		% within Adult-Ped	23.5%	20.1%	20.1%
	Asian-Pacific Islander	Count		9	9
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total	Count	17	2485	2502	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = Central Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	2028	2034
		% within Adult-Ped	35.3%	81.6%	81.3%
	Female	Count	11	457	468
		% within Adult-Ped	64.7%	18.4%	18.7%
Total		Count	17	2485	2502
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Planning Area = Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	11	11	22
		% within Sex	.4%	1.4%	.6%
	1 (12-23 mo)	Count		5	5
		% within Sex		.6%	.1%
	2-4	Count	7	2	9
		% within Sex	.2%	.3%	.2%
	5-12	Count	3	4	7
		% within Sex	.1%	.5%	.2%
	13-19	Count	31	45	76
		% within Sex	1.0%	5.8%	2.0%
	20-24	Count	195	96	291
		% within Sex	6.4%	12.3%	7.6%
	25-29	Count	473	132	605
		% within Sex	15.5%	17.0%	15.8%
	30-39	Count	1433	298	1731
		% within Sex	47.1%	38.3%	45.3%
	40-49	Count	707	129	836
		% within Sex	23.2%	16.6%	21.9%
	50-59	Count	150	44	194
		% within Sex	4.9%	5.7%	5.1%
	60-69	Count	30	11	41
		% within Sex	1.0%	1.4%	1.1%
	70+	Count	4	1	5
		% within Sex	.1%	.1%	.1%
Total		Count	3044	778	3822
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.0%	.1%	.1%
	2-4	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	5-12	Count	13	13	26
		% within Sex	.4%	1.7%	.7%
	13-19	Count	11	15	26
		% within Sex	.4%	1.9%	.7%
	20-24	Count	75	52	127
		% within Sex	2.5%	6.7%	3.3%
	25-29	Count	185	88	273
		% within Sex	6.1%	11.3%	7.1%
	30-39	Count	1129	278	1407
		% within Sex	37.1%	35.7%	36.8%
	40-49	Count	1193	229	1422
		% within Sex	39.2%	29.4%	37.2%
	50-59	Count	348	77	425
		% within Sex	11.4%	9.9%	11.1%
	60-69	Count	75	18	93
		% within Sex	2.5%	2.3%	2.4%
	70+	Count	12	3	15
		% within Sex	.4%	.4%	.4%
Total		Count	3044	778	3822
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1625	226	1851
		% within Sex	53.4%	29.0%	48.4%
	African American	Count	757	423	1180
		% within Sex	24.9%	54.4%	30.9%
	Hispanic	Count	627	125	752
		% within Sex	20.6%	16.1%	19.7%
	Asian-Pacific Islander	Count	10	4	14
		% within Sex	.3%	.5%	.4%
	Am Indian-Alaskan	Count	12		12
		% within Sex	.4%		.3%
	Not Specified	Count	13		13
		% within Sex	.4%		.3%
	Total		3044	778	3822
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1719		1719
		% within Sex	56.5%		45.0%
	IDU	Count	349	204	553
		% within Sex	11.5%	26.2%	14.5%
	M-M & IDU	Count	316		316
		% within Sex	10.4%		8.3%
	Hemophiliac	Count	6	1	7
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	137	306	443
		% within Sex	4.5%	39.3%	11.6%
	Transfusion	Count	14	19	33
		% within Sex	.5%	2.4%	.9%
	Not Classified	Count	481	225	706
		% within Sex	15.8%	28.9%	18.5%
	Ped Parent at Risk	Count	18	19	37
		% within Sex	.6%	2.4%	1.0%
	Ped Other-Undet	Count	4	4	8
		% within Sex	.1%	.5%	.2%
	Total		3044	778	3822
			100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	12	1839	1851
		% within Adult-Ped	27.9%	48.7%	48.4%
	African American	Count	23	1157	1180
		% within Adult-Ped	53.5%	30.6%	30.9%
	Hispanic	Count	8	744	752
		% within Adult-Ped	18.6%	19.7%	19.7%
	Asian-Pacific Islander	Count		14	14
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		12	12
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		13	13
		% within Adult-Ped		.3%	.3%
	Total	Count	43	3779	3822
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	21	3023	3044
		% within Adult-Ped	48.8%	80.0%	79.6%
	Female	Count	22	756	778
		% within Adult-Ped	51.2%	20.0%	20.4%
Total		Count	43	3779	3822
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Central Texas